



FALCONEYES

FALCON EYES LTD.

香港九龍紅磡鶴園街2G號恆豐大廈第一期11字樓E1室

Address: Unit E1, 11/F, Phase 1, Hang

Fung Building, 2G Hok Yuen Street,

Hung Hom, Kowloon, Hong Kong

Tel: 852-2363-2825

Fax: 852-2363-3856

Email: info@falconeyes.com.hk

Website: www.falconeyes.com.hk

Production Plant:

Yinkie Photographic Equipment Factory

Dongsheng Industrial Zone (Beside The

2nd Dongsheng Road), Huang Village,

Fenggang Town, Dongguan City,

Guangdong Province. China

Distributor for Netherlands



Benel BV

Buitenvaart 1127A,

7905Se Hoogeveen,

The Netherlands

Tel: +31 528 234 828

E-Mail: info@benel.nl

Web: www.benel.eu

We reserve the rights to make any changes due to technical developments. © Copyright 2015, Falcon Eyes Ltd.

SATEL ONE

威影 S1



PROSERIES

内置电池无线互控同步闪光灯

威影 S1

威影 S1系列是一款内置电池多功能无线外拍闪光灯，最大功率600Ws，最大功率一次可外拍300张以上照片，轻触式液晶显示屏，可同时多灯互控，内置2.4G无线触发，使用外置高速引闪器时，可实现1/8000s快门速度。

SATEL ONE

SATEL-ONE S1 series is a portable flash designed with built-in battery making it a wire-free, maximum power output reaches 600Ws, and amazingly it could produce 300 flashes with its full power when battery is fully charged. It is designed with touch screen and it has the ability to connect with each other when the channel is set to the same. Built-in 2.4G receiver could be compatible with high speed trigger to achieve 1/8000 shutter speed.



RF-S1


Item No.型号	SATEL ONE
Studio Flash灯头	SATEL ONE x 1
Bags摄影包	Bag-S1 x 1
Handle手柄	MP-155B x 1
Trigger触发器	RF-S1 x 1
Reflector标准罩	SR-18 x 1

- Wireless model: FSK2.4Ghz system
无线模块: FSK2.4GHz超稳定频率系统
- Control mode: 4 groups
支持控制模式: 4个组别控制方式
- Triggering: Remote, mix control mode, photo sensor
支持遥控模式: 遥控模式、混合控制模式、引闪触发模式
- Remote distance: 100M
可遥控距离: 直径100M范围内(户外开阔地可达100M+以上)



液晶显示可调角度
可不同角度查看液晶显示
Adjustable LCD display angle
flexible in showing readings

GN 闪光指数	68
Li-ion Battery锂离子电池	14.8V-3000mAh
No. of flash(full charged)电池满电时输出次数	~full power 300 times全光约300次
Recycling time回电时间	0.1-4 sec.
Charging time电池充电时间	~ 6hours 约6小时
Flash control闪光输出调节	6级
Operating power电源	Replaceable internal battery (14.8V)可替换式内置锂电池(14.8V, 无记忆)
Battery Charging电池充电方式	Plug-in charging插式充
Protection保护装置	Overheating protection自带过热保护装置
Triggering同步触发方式	Built-in 2.4G remote receiver (could be used with external high-speed triggering 1/8000s), flash sync., sync. cable, manual triggering 内置2.4G无线遥控触发(可外置高速同步1/8000秒), 同步闪光, 同步线, 手动触发
LED modeling造型灯	LED 5W
Beeper switch回电指示音	on/off有(可开/关)
Color temperature色温:	5500K ± 200K
Dimension体积:	29 x 11.5 x 19 cm
Weight重量:	2.2 Kg (Flash: 1.7Kg, Li-ion: 0.5KG)



可拆卸式电池
长时间外拍时, 可更换电池
Replaceable battery
easy to change for outdoor
shooting



带USB输出端口
可充满iPhone6 Plus三次
Extern battery substitute
can fully charge
i-Phone 6 Plus 3 times



600Ws进口闪光管
可兼容保柔口的标准罩
Powerful 600Ws flash tube
compatible to Bowens
mount reflectors



SATEL ONE Kit 1

Item No.型号	SATEL ONE-K1
Studio Flash灯头	SATEL ONE x 1
Softbox柔光箱	FEN-6080ST x 1
Kit Bags摄影箱	WPC-3.1 x 1
Light Stand灯架	LMC-1700 x 1
Trigger触发器	RF-Q830LC(for Canon) x 1





SATEL ONE Kit 2

Item No.型号	SATEL ONE-K2
Studio Flash灯头	SATEL ONE x 2
Softbox柔光箱	FEN-6080ST x 1
Kit Bags摄影箱	WPC-3.3 x 1
Light Stand灯架	LMC-1900 x 2
Trigger触发器	RF-Q830LC(for Canon) x 1
Umbrella反光伞	UR-T48SB1 x 1
Reflector标准罩	SR-18 x 1

