## **PRO LED RING LIGHT**

Model	DVR-512DVC	DVR-160TVC
CCT	3000K-5600K	
CRI	95+	
POWER	32W	
Voltage	14.8V 5A	
Inner Dia	36.5cm	
Outer Dia	49.5cm	
Net Weight	1.5KG	
Accessories Included	Camera Bracket	AC adaptor



### **DVR-512DVC**

Falcon Eyes new DVR series are designed to be used for portrait photography.

The new DVR-512DVC is design with 60 degree LEDs ranking, which can centralized the light flow to the object than traditional ranking. The new DVR series are equipped with soft light diffuser which can lower the glare and allow the model to perform the best.

The circular shape design is also enable a better fill of lighting on object. The new DVR series are also equipped with 4 quarters ON/OFF switch so photographers can exert their creativity on creating different effects and special eyes light.

The new DVR series are adjustable from 3200K-5600K by vellow / white colour separate dimmer control. It can also compliable with AC or DC (Sony F-mount) power which is convenient for outdoor photography work.









#### **DVR-160TVC**

Falcon Eyes new DVR series are designed to be used for portrait photography.

The new DVR-160TVC is built with SMD LED technology, which generate a greater colour (CRI 95+) than traditional LEDs. The new DVR series are equipped with soft light diffuser which can lower the glare and allow the model to perform the best.

The circular shape design is also enable a better fill of lighting on object. The new DVR series are also equipped with 4 quarters ON/OFF switch so photographers can exert their creativity on creating different effects and special eyes light.

The new DVR series are adjustable from 3200K-5600K by yellow / white colour separate dimmer control. It can also compliable with AC or DC (Sony F-mount) power which is convenient for outdoor photography work.

Unit E1,11/F,Phase 1,Hang Fung Building,2G Hok Yuen Street, Hung Hom, Kowloon, Hong Kong

Tel / 852-2363-2825 Fax / 852-2363-3856

Email / info@falconeyes.com.hk

Website / www.falconeyes.com.hk

We reserve the rights to make any changes due to technical developments. 
© Copyright ,Falcon Eyes Ltd.

Yinkie Photographic Equipment Factory Dongsheng Industrial Zone (Beside The 2nd Dongsheng Road), Huang Village, Fenggang Town, Dongguang City, Guangdong Province.China



Distributor for Netherlands ... BENELby



Buitenvaart 1127A,7905Se Hoogeveen,The Netherlands Tel:+31 528 234 828 E-mail:info@benel.nl Web:www.benel.eu



# **PROFESSIONAL LED** STUDIO LIGHT

www.falconeyes.com.hk



### **PROFESSIONAL LED STICK**



#### **SABER TWO**

Saber Two is a handheld LED light stick with mutual control technology. It is designed with A, B, C three group control channels in order to adjust multiple lights simultaneously or in groups. 4 color temperatures are preset in 3200K / 5000K / 5600K and 8000K. LED beads are with High CRI 95 and lifespan 50000 hours. SA2 can be used with Li-ion batteries (F550/750/970) or with adaptors as power source. Multiple SA2 can be connected together to create different light source which is suitable for portrait.

Model	Saber Two(SA2)
No. of LED Bulbs	288 pcs
Power	17W
Color Temperature	3200 / 5000 / 5600 / 8000K
Control	Variable
Angle	60°
Power Source	AC Adaptor (9V 3A)
Size	L505 x W60 x H60 mm
Mutual control	yes









- •1x SA2 •1x NP-F750 (with charger) •1x SA2-BAG
- 1 x MP-155A 1 x AC Adaptor (9V 3A)











AC Adaptor (9V 3A)

### PATENT PRODUCT!

### **PROFESSIONAL 3 IN 1 LED STICK**

#### SABER3+SA3-B

The Falcon Eyes SABER-3 is a 3-in-1 LED stick light which gives you a lightweight illumination in LED stick & LED ring style, as well as a portable battery charger of 4600mAh for your phone or camera.

The SABER 3 is designed with a very lightweight housing of only 0.602kg (with SA3-B power supply), it is developed with 88pcs of LED which generates a power of 15W with a working time of 1.5 hrs in maximum power. With the help of the rotanable filter. it gives you both warm light 3200k and daylight 5600k.



#### DVR-112V+SA3-B









The interesting feature about the SA3-B portable power supply is that it could also work with the DVR-112V ring light to give you a shadow free macro-experience, it weights only 0.52kg (with SA3-B power supply). Another useful feature of SA3-B is that it is a portable battery pack for charging your phone or camera with the help of the included accessories and cable.

Model no.	Saber 3+SA3-B	DVR-112V+SA3-B	
No. of LED Bulbs	88 pcs	112 pcs	
Power	15W		
Color Temperature	3200 / 5600 K	5600 K	
LUX	0.5M8900,1M2400,2M690	0.5M11000,1M2700,2M790	
Illuminating Distance	5M		
Li-ion Battery	7.4V,4600mAh		
Charging time	~3.5hrs		
Working time	~1.5hr(at max.output)		
Dimensions(LxWxH)	Φ63x420mm(NO POWER SUPPLY)	Ф160x26mm(NO POWER SUPPLY)	
Weight	0.602KG(WITH POWER SUPPLY)	0.52KG(WITH POWER SUPPLY)	
Accessories included	DR-E6 POWER CABLE,USB CABLE,TMB-20B,MHS-01, CHARGER,KIT BAG,CONNECTOR RING		









### **PROFESSIONAL LED PANEL**

#### LPL-1602T

As one of the MIRR collection series, LPL-1602T is also designed to be slim and light in weight. With 2 cm thickness metal housing, it maintains its powerful output at 32W. LEDs are in 5600K standard color temperature and HIGH CRI of 93Ra. Aluminum housing and long lifespan of LEDs allow LPL-1602T deliver outstanding performance constantly.



Model	LPL-1602T	
No. of LED bulbs LED	160 pcs	
Power	32W	
Color Temperature	5600K	
Control	Variable	
Angle	100°	
CRI (Ra)	91	
Illuminance	506Lux	
Power Source	AC Adaptor(15V 5A)	
Size	38 x 26 x 2 cm	















3pcsxLPL-1602T 1pcsxWPC-3.1



#### **PATENT** PRODUCT!

### **PROFESSIONAL LED PANEL**

#### LPL-2802T

LPL-2802T being one of the MIRR collection series inherits slim and light weight as main characteristics. The light is well protected under metal housing. Color temperature in 5600K, mirror-like diffuser plate and HIGH CRI make it valuable for portrait photography. The external remote controller further improves light adjustment experience. 2 lights kit is available and come with crash-proof bag for your outdoor photography work.

Model	LPL-2802T	
No. of LED bulbs LED	280 pcs	
Power	56W	
Color Temperature	5600K	
Control	Variable	
Angle	100°	
CRI (Ra)	91	
Power Source	AC Adaptor (15V 5A)	
Size	10 x 96 x 2 cm	
Optional Accessories	lithium battery	











2pcsxLPL-2802T 1pcsxBGE-10











### **SUPER SLIM LED VIDEO LIGHT**

#### **DV-80SL & DV-80V**

Model	DV-80SL	DV-80V
No. of LED Bulbs	80pcs	
Power	15W	
Color Temperature	3200-5600K	5600K
Control	Variable	
Angle	90°	
Power Source	AC Adaptor(DC 7.4V / 3A)	
Battery	NP-F550 / 750 / 960	
Size	L200 x W140 x H12 mm	

The new DV-80SL & DV-80V are from the SL (SLIM) series LED panel. It is designed to be small, slim, and easy to carry around. The mirror-like diffuser plate helps to provide soft and even illumination for both photo and video shooting. DV-80SL is built with duo-color temperature for user to adjust step-less from 3200K warm light to 5600K day light. DV-80V is in 5600K day light with step-less dimmer. Both models are with an amazing high CRI of Ra 95 and surely will bring you out for a true color world.











#### **ACCESSORIES**



9V / 3A









MHS-01 SP-CHG

HS-B2

### **PROFESSIONAL LED PANEL**











PRODUCT!

The new Roll-Flex LED light is developed with the latest LED technology to perform rollable and flexible movement with a thickness of only 10mm. The Roll-Flex comes in two sizes 30 x 45cm / 45 x 60cm to aim for all kinds of shootings and microfilming. It is handy lightweight and easy to carry around which is great to use as your no-sunlight reflector or as a fill light. With the help of the optional clamp, user could mount the Roll-Flex LED light on a light stand in order to use as a LED panel.

Model no.	RX-12T	RX-18T
Power	34W	55W
LED	432pcs	726pcs
Power Source	DC 14.8V o	rAC 15V 5A
Size	12"x18"(30x45CM)	18"x24"(45x60CM)
Thickness	10mm	15mm
CCT	5600K	
Dimmer	Yes	
CRI	Ra90	
LUX(0.5m)	3723	
LUX(1m)	1023	

















#### LP-2408V



#### LP-5408V (400W),LP-6609V (600W),LP-14408V (1000W)

LP-2408V is Falcon Eyes newest cinema flood LED light. It is equipped with metal housing and high efficient radiating plate which allow the fixture work in safe temperature (40°-50°) without the need of cooling fan. LP-2408V can generate more than 20000 LUX in 1 meter at CCT 5000K.

LP-2408V is very suitable to work as area fill lighting.

Model	LP-2408V	
Input	AC 90-240V 50-60Hz	
Power	200W	
Luminous	Flux > 20000 LM	
CCT	5000K	
CRI	Ra > 90	
LED lifespan	50000H+	
Weight	8.5KG	
IP	66	















The LP-363V LED Par light features a rugged cast aluminium water resistant housing which is suitable for all types of applications. It comes with 36W RBG LED in order to create tons of different color temperatures. The LP-363V is DMX controllable with through the back panel 4-digits display with 7 channels of light effects adjustment. With a low working temperature and low power consumption it gives you an estimated lifespan of 50000+ hours, it is no doubt to be your best LED partner.

Model	LP-363V	
Power	36W RGB(12x1W Red,12x1W Green, 12x1W,12x1W Blue)	
Voltage	AC 110V-130V/200V-250V, 50Hz-60Hz	
RBG Control	(0-100% strobe,0-100% dimmer via DMX mode)	
DMX-512	7 Channels	
Lifespan	50000+hours	
Working temperature	0°C-40°C	
Water resistant level	lp65	
Dimmer	yes	
Size	195x195x200mm	



### **MULTI-FUNCTIONAL**

### PATENT PRODUCT!

#### MPS-900Pro

The Falcon Eyes MPS-900Pro is the power station that supplies both AC & DC power for you anywhere in the world. It is designed with two versions which are suitable to use with either 110V and 230V.

There are  $2 \times AC$  sockets to provide a maximum power of 630W, which is capable for  $2 \times 300$ W lamp to be used at their full power, while a maximum of 120W generated from the DC power.

The MPS-900Pro will be your new portable power station for outdoor shootings, in the meantime an outdoor AC socket for recharging your laptops, cell phones, cameras, and all other electronic devices.

Model	MPS-900 Pro	
Battery capacity	34000mAh(900Wh),24V	
AC output	630W(max) 230V,50/60Hz or 110V,50/60Hz	
DC output	120W,12V,10A	
Input charge	DC 12-24V(max),10A	
AC output socket	2	
AC output switch	2	
DC output socket	1	
DC output switch	1	
Recharging time	10 hours	





#### **BP-100L/BP-160L**







BP-160L(14.8V,160Wh / 10800mAh) Anton Bauer

#### AD-PS2

#### Multi-functional SONY V-mount battery base

AD-PS2 is a supplementary power source for your photographic equipments. With 4 outputs: 5V USB port, 7.4V 3.5mm female jack, 12V 5.5mm female jack and a 14.8V 2 pin female jack, it converts SONY V-Mount battery into a universal power bank. The dual bridge plate at the back makes it a perfect counter weight plus power source for users shooting microfilm with DSLR rig.









M L-LED20 is Falcon Eyes new LED bulb which can work with F27 base fluorescent fixtures like LHD-B series & LH-ESB series

ML-LED20 is a 20W LED bulb which can generate brightness equals to 30W fluorescent lamp. With high CRI reading of 95+, it can benefits photography job with high quality lighting. The lifespan of ML-LED20 is 50000+ hours which is times better than traditional fluorescent lamp.

Model	ML-LED12	ML-LED20
Power	12W	20W
CRI	95+	
CCT	5600K	
Lifespan	50000H+	
Lamp base	E27	

#### ML-LED40F / ML-LED45F

M L-LED40F & 45F are Falcon Eyes new LED bulb which can work with E27 base fluorescent fixtures like LHD-B series & LH-ESB series

ML-LED45F is a 45W LED bulb which can generate brightness equals to 70W fluorescent lamp. ML-LED40F is a 40W LED bulb which can generate brightness equals to 65W fluorescent lamp. With high CRI reading of 95+, it can benefits photography job with high quality lighting. The lifespan of ML-LED40F & 45F is 50000+ hours which is times better than traditional fluorescent lamp. ML-LED40F & 45F also equipped with cooling fan in order to protect the lamp and keep LED in best condition.

Model	ML-LED40F	ML-LED45F
Power	40W	45W
CRI	95	+
CCT	5600K	
Lifespan	50000H+	
Lamp base	E27	
FΔ	N COOL SYSTEM	













**PATENT** 

ML-LED12 (12W)





ML-LED20 (20W) ML-LED40F (40W)









ML-LED45F (45W)

# PRODUCT!

### TRIPLE POWER CONICAL SNOOT

#### LPSA-BOT

The new LPSA-BOT conical snoot is mainly designed for LED lighting, it could dramatically increase the exposure value(EV) of about 3 times more than its original (when zoomed), which could be a good help during all types of video filming and photo shooting, it's designed with the concept of snoot for producing concentrated light projection.

















The SGA-BOS light extender is designed for all speedlites, it can be connected through the Falcon Eyes CA-SGU universal adaptor. It could dramatically increase the exposure value (EV) of about 2 times more than its original, which could be a good help during the photo shooting.





SGA-BOS









